

Getting Started

VirtualPlayers comes with an API which can be used by developers. Follow the steps below to add the API as a dependency.

Adding the BattlePlugins Repository

Gradle (Kotlin DSL)

```
repositories {  
    maven("https://repo.battleplugins.org/releases")  
    maven("https://repo.battleplugins.org/snapshots")  
}
```

Gradle (Groovy)

```
repositories {  
    maven {  
        url "https://repo.battleplugins.org/releases"  
    }  
    maven {  
        url "https://repo.battleplugins.org/snapshots"  
    }  
}
```

Maven

```
<repositories>  
  <repository>  
    <id>battleplugins-releases</id>  
    <name>BattlePlugins Releases</name>  
    <url>https://repo.battleplugins.org/releases</url>  
  </repository>  
  <repository>  
    <id>battleplugins-snapshots</id>  
    <name>BattlePlugins Snapshots</name>  
    <url>https://repo.battleplugins.org/snapshots</url>  
  </repository>  
</repositories>
```

```
</repositories>
```

Adding the Dependency

Gradle (Kotlin DSL)

```
dependencies {  
    compileOnly("org.battleplugins.virtualplayers:api:3.0.0")  
}
```

Gradle (Groovy)

```
dependencies {  
    compileOnly "org.battleplugins.virtualplayers:api:3.0.0"  
}
```

Maven

```
<dependencies>  
  <dependency>  
    <groupId>org.battleplugins.virtualplayers</groupId>  
    <artifactId>api</artifactId>  
    <version>3.0.0</version>  
    <scope>provided</scope>  
  </dependency>  
</dependencies>
```

Revision #3

Created 2024-06-25 02:13:20 UTC by Redned

Updated 2024-06-25 02:24:17 UTC by Redned