

# Action Reference

## Overview

This page contains all the actions built in to BattleArena natively. Additional modules or extensions may add new actions, which will be included on their documentation page.

## Actions List

- `<, >` denotes a *required* option
- `[, ]` denotes an optional option
- Options are separated using the semicolon (`;`)

### Broadcast

- Description: Broadcasts a message to the specified audience
- Options
  - `<message>` The message to broadcast
  - `[audience]` Who the message will be broadcasted to. Can be **game** or **server** (default **game**)
  - `[type]` The type of message. Can be **chat**, **action\_bar**, **title**, **subtitle** (default: **chat**).
- Syntax
  - `broadcast{message=<message>;type=[type]}`

### Change Gamemode

- Description: Changes the player's gamemode
- Options
  - `<gamemode>` The gamemode to set the player to
- Syntax
  - `change-gamemode{gamemode=<gamemode>}`

### Change Role

- Description: Changes the player's role
- Options
  - `<role>` The role to set the player to. Can be **playing** or **spectating**
- Syntax

- `change-role{role=<role>}`

## Clear Effects

- Description: Clears all of a player's effects
- Syntax
  - `clear-effects`

## Clear Inventory

- Description: Clears a player's inventory
- Syntax
  - `clear-inventory`

## Delay

- Description: Delays any subsequent actions by a specified duration
- Options
  - **<ticks>** The amount of time to delay the next action
- Syntax
  - `delay{ticks=<ticks>}`

## Flight

- Description: Sets whether a player can fly
- Options
  - **<enabled>** Whether the player can fly
- Syntax
  - `flight{enabled=<enabled>}`

## Give Effects

- Description: Gives potions effects to a player
- Options
  - **<effects>** The effects to give to the player
- Syntax
  - `give-effects{effects=<effects>}`
    - The effects syntax is in a list format, with root object being the effect name, and the parameters specified inside
    - Example: `give-effects{effects=[speed{duration=300;amplifier=1},jump_boost{duration=300;amplifier=1}]}`

## Give Item

- Description: Gives an item to a player

- Options
  - **<item>** The item to give to the player
  - **[slot]** The slot to place the item in. If unspecified, it will be added to the next available slot
- Syntax:
  - give-item{item=**<item>**;slot=**[slot]**)
    - See the [Item Syntax](#) page for how to format items in this section

## Health

- Description: Sets the player's health and hunger values
- Options
  - **<health>** The health to set for the player
  - **<hunger>** The hunger to set for the player
- Syntax
  - health{health=**<health>**;hunger=**<hunger>**}

## Join Random Team

- Description: Makes a player join a random team. Only runs on players who have not selected a team already
- Syntax
  - join-random-team

## Kill Entities

- Description: Kills all entities within the map bounds
- Options
  - **[excluded-groups]** The group of entities to exclude. If left empty, all entities are killed aside from players
    - The following options are allowed: **monster, animal, water\_animal, water\_ambient, water\_underground\_creature, ambient, axolotl**
- Syntax
  - kill-entities{excluded-groups=**<excluded-groups>**}
    - The kill-entities syntax is in a list format, with the separator being a comma
    - Example: kill-entities{excluded-groups=[monster,axolotl]}

## Leave

- Description: Causes a player to leave the competition
- Syntax
  - leave

## Play Sound

- Description: Plays a sound to the player

- Options
  - **<sound>** The sound to play
  - **[pitch]** The pitch of the sound. Values between 0 and 2 are allowed
  - **[volume]** The volume of the sound
- Syntax
  - `play-sound{sound=<sound>;pitch=[pitch];volume=[volume]}`

## Reset State

- Description: Resets the state of a player. This will clear all of their stats, and make them leave their current team (and rejoin a random one if applicable)
- Syntax
  - `reset-state`

## Respawn

- Description: Causes a player to automatically respawn
- Syntax
  - `respawn`

## Restore

- Description: Restores player data that was previously stored
- Options
  - **<type>** The type of data to restore.
    - The following options are available: **all**, **inventory**, **gamemode**, **health**, **attributes**, **experience**, **flight**, **effects**, **location**
- Syntax
  - `restore{types=<types>}`

## Run Command

- Description: Runs a command
- Options
  - **<command>** The command to run
  - **[source]** The source of the command Can be **player** or **console** (default: **player**)
- Syntax
  - `run-command{command=<command>;source=[source]}`

## Send Message

- Description: Sends a message to the player
- Options
  - **<message>** The message to send
  - **[type]** The type of message. Can be **chat**, **action\_bar**, **title**, **subtitle** (default: **chat**).

- Syntax
  - `send-message{message=<message>;type=[type]}`

## Store

- Description: Stores player data that should later be restored. Allows for instances where games may have their own inventories, but player inventories should be restored later
- Options
  - **<type>** The type of data to restore.
    - The following options are available: **all, inventory, gamemode, health, attributes, experience, flight, effects, location**
  - **[clear state]** Whether the state should be cleared. If false, this means that players will join with their previous inventory, gamemode, etc., or whatever is configured in the type option. However, the inventory that was used before the competition will be restored at the end, so if a player were to break a chestplate, the previous version of that chestplate is what would be restored at the end of the competition.
- Syntax
  - `store{types=<types>;clear-state=[true|false]}`

## Teardown

- Description: Tears down a competition and removes it from starting again. Often used for event competitions, which close once the event has concluded
- Syntax
  - `teardown`

## Teleport

- Description: Teleports a player to a location in a map
- Options
  - **<location>** The location to teleport the player. Can be **waitroom, spectator, team\_spawn** or **last\_location**
  - **[random]** Whether the teleport is randomized. Only used for the **team\_spawn** option
- Syntax
  - `teleport{location=<location>;random=[random]}`

---

Revision #9

Created 24 June 2024 20:32:25 by Redned

Updated 21 July 2024 04:02:58 by Redned